




TOPSYSTEM

For all your drawer needs



Wardrobe



Kitchen



Office



Bathroom

Double-wall drawer system is designed for all your drawer needs.


A total drawer system capable of meeting all the present and up and coming criteria demanded by suppliers and customers.

Double wall drawers with concealed full extension silent moving slide and soft close action.

Drawers are available in 3 different heights and various finishes such as grey (standard), white or stainless steel.

TOPSYSTEM will enable you to include these proven and tested designs into numerous applications in many different market segments such as kitchen, bathroom, wardrobe and even into a modern office environment .



Demonstration units can be seen by requesting a visit from one of our sales team in your area. Where upon design requirements can be discussed and prices given.




TOPSYSTEM


Double-wall drawer system

Standard Drawers

Basic Element		Lower Drawer, 83mm		Lower Inner Drawer, 83mm
 M	 		 	
Basic Element		Medium Drawer, 160mm		Medium Inner Drawer, 160mm
 M	 		 	
Single railing				
 M	 		 	
Metal-boxside, Single railing				
 M	 		 	
Double Railing				
 M	 		 	
Metal-boxside, Double railing				
 M	 		 	
Glass-boxside, Double railing				

Metal backs, Stabilizer

			
---	---	---	--



Lower Drawer

- Concealed, full extension silent system slide with soft-closing
- Dynamic load capacity: 40 kg
- Finish: White (E01), Silver Grey (E18), Stainless Steel (F04)
- Tool less quick and easy drawer mounting and removal
- Silent system guarantees smooth and quite running
- Total adjustment, left and right, up and down



Lower Drawer for Wood Drawer Back



Kit package

White (E01), Silver Grey (E18), Stainless Steel (F04)

Nominal Length NL	Item No.	Set/ctn
270 mm	M01270A	1
300 mm	M01300A	1
350 mm	M01350A	1
400 mm	M01400A	1
450 mm	M01450A	1
500 mm	M01500A	1
550 mm	M01550A	1

1



Slides left/right

Pre-zinc Steel (F02)

Industrial Package	Item No.	Set/ctn
	M01270H	5
	M01300H	5
	M01350H	5
	M01400H	5
	M01450H	5
	M01500H	5
	M01550H	5

2



Drawer sides and Cover Caps left/right

White (E01), Silver Grey (E18), Stainless Steel (F04)

Industrial Package	Item No.	Set/ctn
	M01270	5
	M01300	5
	M01350	5
	M01400	5
	M01450	5
	M01500	5
	M01550	5

3



Back fixing brackets left/right

White (E01), Silver Grey (E18), Nickel Plated (A02) set/ctn

Item No.	Set/ctn
M01031	60



4




Front fixing brackets left/right

Zinc Plated (B01), Nickel Plated (A02) set/ctn

Screw-on	Item No.	Set/ctn
	M01011	120
Press-in	Item No.	Set/ctn
	M01016	120







Installation Dimensions

Drawer back, Drawer bottom Dimensions

NL = Nominal Slide Length LT = Internal Cabinet Depth LT = NL + 3



Drawer Front Dimensions




Cabinet Configuration

Soft-closing Distance

For Cabinet Widths 900mm-1200mm, a stabilizer is needed. Please refer to page 18 for further information.

Soft-closing →




Lower Inner Drawer

- Concealed, full extension silent system slide with soft-closing
- Dynamic load capacity: 40 kg
- Finish: White (E01), Silver Grey (E18), Stainless Steel (F04)
- Tool less quick and easy drawer mounting and removal
- Silent system guarantees smooth and quite running
- Total adjustment, left and right, up and down





Lower Inner Drawer for Wood Drawer Back

 Kit package			 1 Slides left/right			 2 Drawer sides and Cover Caps left/right		
White (E01), Silver Grey (E18), Stainless Steel (F04)			Pre-zinc Steel (F02)			White (E01), Silver Grey (E18), Stainless Steel (F04)		
Nominal Lenght NL			Industrial Package			Industrial Package		
								
Item No.			Item No.			Item No.		
Set/ctn			Set/ctn			Set/ctn		
270 mm	M01270Q	1		M01270H	5		M01270	5
300 mm	M01300Q	1		M01300H	5		M01300	5
350 mm	M01350Q	1		M01350H	5		M01350	5
400 mm	M01400Q	1		M01400H	5		M01400	5
450 mm	M01450Q	1		M01450H	5		M01450	5
500 mm	M01500Q	1		M01500H	5		M01500	5
550 mm	M01550Q	1		M01550H	5		M01550	5

 3 Back fixing brackets left/right				
White (E01), Silver Grey (E18), Silver Plated (A02) set/ctn				
	Item No.	M01031	60	


 4 Front fixing brackets				
Grey (H11) set/ctn				
	Item No.	M01012	60	

 5 Front section (not included in the kit)				
White (E01), Silver Grey (E18) pcs/ctn				
For cutting to size 1100mm. Cutting: Internal cabinet width LW-98				
	Item No.	M01021	20	



Screw Positions of the Slides

Installation Dimensions (mm)





6

Installation Dimensions

Drawer back, Drawer bottom Dimensions


NL = Nominal Slide Length LT = Internal Cabinet Depth LT = NL + 3




Cabinet Configuration

Soft-closing Distance

For Cabinet Widths 900mm-1200mm, a stabilizer is needed. Please refer to page 18 for further information.






Medium Drawer with Single Railing

- Concealed, full extension silent system slide with soft-closing
- Dynamic load capacity: 40 kg
- Finish: White (E01), Silver Grey (E18), Stainless Steel (F04)
- Tool less quick and easy drawer mounting and removal
- Silent system guarantees smooth and quite running
- Total adjustment, left and right, up and down




Medium Drawer with Single Railing for Wood Drawer Back

 Kit package White (E01), Silver Grey (E18), Stainless Steel (F04)	 Slides left/right Pre-zinc Steel (F02)	 Drawer sides and Cover Caps left/right White (E01), Silver Grey (E18), Stainless Steel (F04)																																																						
<table> <tr> <th>Nominal Length NL</th><th>Item No.</th><th>Set/ctn</th></tr> <tr> <td>350 mm</td><td>M01350B</td><td>1</td></tr> <tr> <td>400 mm</td><td>M01400B</td><td>1</td></tr> <tr> <td>450 mm</td><td>M01450B</td><td>1</td></tr> <tr> <td>500 mm</td><td>M01500B</td><td>1</td></tr> <tr> <td>550 mm</td><td>M01550B</td><td>1</td></tr> </table>	Nominal Length NL	Item No.	Set/ctn	350 mm	M01350B	1	400 mm	M01400B	1	450 mm	M01450B	1	500 mm	M01500B	1	550 mm	M01550B	1	<table> <tr> <th>Industrial Package</th><th>Item No.</th><th>Set/ctn</th></tr> <tr> <td></td><td>M01350H</td><td>5</td></tr> <tr> <td></td><td>M01400H</td><td>5</td></tr> <tr> <td></td><td>M01450H</td><td>5</td></tr> <tr> <td></td><td>M01500H</td><td>5</td></tr> <tr> <td></td><td>M01550H</td><td>5</td></tr> </table>	Industrial Package	Item No.	Set/ctn		M01350H	5		M01400H	5		M01450H	5		M01500H	5		M01550H	5	<table> <tr> <th>Industrial Package</th><th>Item No.</th><th>Set/ctn</th></tr> <tr> <td></td><td>M01350</td><td>5</td></tr> <tr> <td></td><td>M01400</td><td>5</td></tr> <tr> <td></td><td>M01450</td><td>5</td></tr> <tr> <td></td><td>M01500</td><td>5</td></tr> <tr> <td></td><td>M01550</td><td>5</td></tr> </table>	Industrial Package	Item No.	Set/ctn		M01350	5		M01400	5		M01450	5		M01500	5		M01550	5
Nominal Length NL	Item No.	Set/ctn																																																						
350 mm	M01350B	1																																																						
400 mm	M01400B	1																																																						
450 mm	M01450B	1																																																						
500 mm	M01500B	1																																																						
550 mm	M01550B	1																																																						
Industrial Package	Item No.	Set/ctn																																																						
	M01350H	5																																																						
	M01400H	5																																																						
	M01450H	5																																																						
	M01500H	5																																																						
	M01550H	5																																																						
Industrial Package	Item No.	Set/ctn																																																						
	M01350	5																																																						
	M01400	5																																																						
	M01450	5																																																						
	M01500	5																																																						
	M01550	5																																																						
 Side rails left/right White (E01), Silver Grey (E18), Chrome Plated (C01)	 Metal-boxside left/right White (E01), Silver Grey (E18), Stainless Steel (F04)																																																							
<table> <tr> <th>Nominal Length NL</th><th>Item No.</th><th>Set/ctn</th></tr> <tr> <td>350 mm</td><td>M01041350</td><td>60</td></tr> <tr> <td>400 mm</td><td>M01041400</td><td>60</td></tr> <tr> <td>450 mm</td><td>M01041450</td><td>60</td></tr> <tr> <td>500 mm</td><td>M01041500</td><td>60</td></tr> <tr> <td>550 mm</td><td>M01041550</td><td>60</td></tr> </table>	Nominal Length NL	Item No.	Set/ctn	350 mm	M01041350	60	400 mm	M01041400	60	450 mm	M01041450	60	500 mm	M01041500	60	550 mm	M01041550	60	<table> <tr> <th>Industrial Package</th><th>Item No.</th><th>Set/ctn</th></tr> <tr> <td></td><td>M01052350</td><td>20</td></tr> <tr> <td></td><td>M01052400</td><td>20</td></tr> <tr> <td></td><td>M01052450</td><td>20</td></tr> <tr> <td></td><td>M01052500</td><td>20</td></tr> <tr> <td></td><td>M01052550</td><td>20</td></tr> </table>	Industrial Package	Item No.	Set/ctn		M01052350	20		M01052400	20		M01052450	20		M01052500	20		M01052550	20																			
Nominal Length NL	Item No.	Set/ctn																																																						
350 mm	M01041350	60																																																						
400 mm	M01041400	60																																																						
450 mm	M01041450	60																																																						
500 mm	M01041500	60																																																						
550 mm	M01041550	60																																																						
Industrial Package	Item No.	Set/ctn																																																						
	M01052350	20																																																						
	M01052400	20																																																						
	M01052450	20																																																						
	M01052500	20																																																						
	M01052550	20																																																						
 Back fixing brackets left/right White (E01), Silver Grey (E18), Nickel Plated (A02) set/ctn	 Front fixing brackets Zinc Plated (B01), Nickel Plated (A02) pcs/ctn																																																							




LW = Internal Cabinet Width




Installation Dimensions

Drawer back, Drawer bottom Dimensions

NL = Nominal Slide Length LT = Internal Cabinet Depth LT = NL + 3



Drawer Front Dimensions





Cabinet Configuration

Soft-closing Distance

For Cabinet Widths 900mm-1200mm, a stabilizer is needed. Please refer to page 18 for further information.

Soft-closing →





Medium Inner Drawer with Single Railing

- Concealed, full extension silent system slide with soft-closing
- Dynamic load capacity: 40 kg
- Finish: White (E01), Silver Grey (E18), Stainless Steel (F04)
- Tool less quick and easy drawer mounting and removal
- Silent system guarantees smooth and quite running
- Total adjustment, left and right, up and down



Medium Inner Drawer with Single Railing for Wood Drawer Back



Kit package

White (E01), Silver Grey (E18), Stainless Steel (F04)



Nominal
Lenght NL

Item No.

Set/ctn

350 mm

M01350R

1

400 mm

M01400R

1

450 mm

M01450R

1

500 mm

M01500R

1

550 mm

M01550R

1



Slides left/right

Pre-zinc Steel (F02)



Industrial
Package

Item No.

Set/ctn

M01350H

5

M01400H

5

M01450H

5

M01500H

5

M01550H

5



Drawer sides and Cover
Caps left/right

White (E01), Silver Grey (E18), Stainless Steel (F04)

Industrial
Package

Item No.

Set/ctn

M01350

5

M01400

5

M01450

5

M01500

5

M01550

5



Side rails left/right

White (E01), Silver Grey (E18), Chrome Plated (C01)

Nominal
Lenght NL

Item No.

Set/ctn

350 mm

M01041350

60

400 mm

M01041400

60

450 mm

M01041450

60

500 mm

M01041500

60

550 mm

M01041550

60



Metal-boxside left/right

White (E01), Silver Grey (E18), Stainless Steel (F04)

Industrial
Package

Item No.

Set/ctn

M01052350

20

M01052400

20

M01052450

20

M01052500

20

M01052550

20



Back fixing brackets left/right

White (E01), Silver Grey (E18), Nickel Plated (A02) set/ctn

Item No.

M01032

40



Front fixing brackets

Grey (H11) pcs/ctn

Item No.

M01013

40



Front section (not included in the kit)


White (E01), Silver Grey (E18) pcs/ctn


For cutting to size 1100mm. Cutting: Internal cabinet width LW-98

Item No.


M01021

20







LW = Internal Cabinet Width



Installation Dimensions

Drawer back, Drawer bottom Dimensions


NL = Nominal Slide Length LT = Internal Cabinet Depth LT = NL + 3



Cabinet Configuration

Soft-closing Distance

For Cabinet Widths 900mm-1200mm, a stabilizer is needed. Please refer to page 18 for further information.



High Drawer with Double Railing

- Concealed, full extension silent system slide with soft-closing
- Dynamic load capacity: 40 kg
- Finish: White (E01), Silver Grey (E18), Stainless Steel (F04)
- Tool less quick and easy drawer mounting and removal
- Silent system guarantees smooth and quite running
- Total adjustment, left and right, up and down




High Drawer with Double Railing for Wood Drawer Back


Kit package				1 Slides left/right				2 Drawer sides and Cover Caps left/right			
White (E01), Silver Grey (E18), Stainless Steel (F04)				Pre-zinc Steel (F02)				White (E01), Silver Grey (E18), Stainless Steel (F04)			
Nominal Length NL	40	Item No.	Set/ctn	Industrial Package	40	Item No.	Set/ctn	Industrial Package	Item No.	Set/ctn	
350 mm		M01350D	1			M01350H	5		M01350	5	
400 mm		M01400D	1			M01400H	5		M01400	5	
450 mm		M01450D	1			M01450H	5		M01450	5	
500 mm		M01500D	1			M01500H	5		M01500	5	
550 mm		M01550D	1			M01550H	5		M01550	5	

6 Side rails left/right											
White (E01), Silver Grey (E18), Chrome Plated (C01)											
Nominal Length NL		Item No.	Set/ctn								
350 mm		M01041350	60								
400 mm		M01041400	60								
450 mm		M01041450	60								
500 mm		M01041500	60								
550 mm		M01041550	60								

3 Back fixing brackets left/right							
White (E01), Silver Grey (E18), Nickel Plated (A02) set/ctn							
	Item No.	M01033	20				

4 Front fixing brackets							
Zinc Plated (B01), Nickel Plated (A02) pcs/ctn							
Screw-on	Item No.	M01011	120				
Press-in	Item No.	M01016	120				







Installation Dimensions

Drawer back, Drawer bottom Dimensions


NL = Nominal Slide Length LT = Internal Cabinet Depth LT = NL + 3



Cabinet Configuration

Soft-closing Distance

For Cabinet Widths 900mm-1200mm, a stabilizer is needed. Please refer to page 18 for further information.




High Drawer with Double Railing, Metal-boxside


- Concealed, full extension silent system slide with soft-closing
- Dynamic load capacity: 40 kg
- Finish: White (E01), Silver Grey (E18), Stainless Steel (F04)
- Tool less quick and easy drawer mounting and removal
- Silent system guarantees smooth and quite running
- Total adjustment, left and right, up and down



High Drawer with Double Railing, Metal-boxside for Wood Drawer Back

 Kit package White (E01), Silver Grey (E18), Stainless Steel (F04)	 Slides left/right Pre-zinc Steel (F02)	 Drawer sides and Cover Caps left/right White (E01), Silver Grey (E18), Stainless Steel (F04)																																																						
<table> <tr> <th>Nominal Lenght NL</th><th>Item No.</th><th>Set/ctn</th></tr> <tr> <td>350 mm</td><td>M01350E</td><td>1</td></tr> <tr> <td>400 mm</td><td>M01400E</td><td>1</td></tr> <tr> <td>450 mm</td><td>M01450E</td><td>1</td></tr> <tr> <td>500 mm</td><td>M01500E</td><td>1</td></tr> <tr> <td>550 mm</td><td>M01550E</td><td>1</td></tr> </table>	Nominal Lenght NL	Item No.	Set/ctn	350 mm	M01350E	1	400 mm	M01400E	1	450 mm	M01450E	1	500 mm	M01500E	1	550 mm	M01550E	1	<table> <tr> <th>Industrial Package</th><th>Item No.</th><th>Set/ctn</th></tr> <tr> <td></td><td>M01350H</td><td>5</td></tr> <tr> <td></td><td>M01400H</td><td>5</td></tr> <tr> <td></td><td>M01450H</td><td>5</td></tr> <tr> <td></td><td>M01500H</td><td>5</td></tr> <tr> <td></td><td>M01550H</td><td>5</td></tr> </table>	Industrial Package	Item No.	Set/ctn		M01350H	5		M01400H	5		M01450H	5		M01500H	5		M01550H	5	<table> <tr> <th>Industrial Package</th><th>Item No.</th><th>Set/ctn</th></tr> <tr> <td></td><td>M01350</td><td>5</td></tr> <tr> <td></td><td>M01400</td><td>5</td></tr> <tr> <td></td><td>M01450</td><td>5</td></tr> <tr> <td></td><td>M01500</td><td>5</td></tr> <tr> <td></td><td>M01550</td><td>5</td></tr> </table>	Industrial Package	Item No.	Set/ctn		M01350	5		M01400	5		M01450	5		M01500	5		M01550	5
Nominal Lenght NL	Item No.	Set/ctn																																																						
350 mm	M01350E	1																																																						
400 mm	M01400E	1																																																						
450 mm	M01450E	1																																																						
500 mm	M01500E	1																																																						
550 mm	M01550E	1																																																						
Industrial Package	Item No.	Set/ctn																																																						
	M01350H	5																																																						
	M01400H	5																																																						
	M01450H	5																																																						
	M01500H	5																																																						
	M01550H	5																																																						
Industrial Package	Item No.	Set/ctn																																																						
	M01350	5																																																						
	M01400	5																																																						
	M01450	5																																																						
	M01500	5																																																						
	M01550	5																																																						
 Side rails left/right White (E01), Silver Grey (E18), Chrome Plated (C01)	 Metal-boxside left/right White (E01), Silver Grey (E18), Stainless Steel (F04)																																																							
<table> <tr> <th>Nominal Lenght NL</th><th>Item No.</th><th>Set/ctn</th></tr> <tr> <td>350 mm</td><td>M01041350</td><td>60</td></tr> <tr> <td>400 mm</td><td>M01041400</td><td>60</td></tr> <tr> <td>450 mm</td><td>M01041450</td><td>60</td></tr> <tr> <td>500 mm</td><td>M01041500</td><td>60</td></tr> <tr> <td>550 mm</td><td>M01041550</td><td>60</td></tr> </table>	Nominal Lenght NL	Item No.	Set/ctn	350 mm	M01041350	60	400 mm	M01041400	60	450 mm	M01041450	60	500 mm	M01041500	60	550 mm	M01041550	60	<table> <tr> <th>Industrial Package</th><th>Item No.</th><th>Set/ctn</th></tr> <tr> <td></td><td>M01052350</td><td>20</td></tr> <tr> <td></td><td>M01052400</td><td>20</td></tr> <tr> <td></td><td>M01052450</td><td>20</td></tr> <tr> <td></td><td>M01052500</td><td>20</td></tr> <tr> <td></td><td>M01052550</td><td>20</td></tr> </table>	Industrial Package	Item No.	Set/ctn		M01052350	20		M01052400	20		M01052450	20		M01052500	20		M01052550	20																			
Nominal Lenght NL	Item No.	Set/ctn																																																						
350 mm	M01041350	60																																																						
400 mm	M01041400	60																																																						
450 mm	M01041450	60																																																						
500 mm	M01041500	60																																																						
550 mm	M01041550	60																																																						
Industrial Package	Item No.	Set/ctn																																																						
	M01052350	20																																																						
	M01052400	20																																																						
	M01052450	20																																																						
	M01052500	20																																																						
	M01052550	20																																																						
 Back fixing brackets left/right White (E01), Silver Grey (E18), Nickel Plated (A02) set/ctn	 Front fixing brackets Zinc Plated (B01), Nickel Plate (A02) pcs/ctn																																																							
<table> <tr> <th></th><th>Item No.</th><th></th></tr> <tr> <td>Screw-on</td><td>M01011</td><td>120</td></tr> <tr> <td>Press-in</td><td>M01016</td><td>120</td></tr> </table>		Item No.		Screw-on	M01011	120	Press-in	M01016	120																																															
	Item No.																																																							
Screw-on	M01011	120																																																						
Press-in	M01016	120																																																						







Installation Dimensions

Drawer back, Drawer bottom Dimensions

NL = Nominal Slide Length LT = Internal Cabinet Depth LT = NL + 3




Drawer Front Dimensions




Cabinet Configuration

Soft-closing Distance

For Cabinet Widths 900mm-1200mm, a stabilizer is needed. Please refer to page 18 for further information.





High Drawer with Single Railing, Glass-boxside



- Concealed, full extension silent system slide with soft-closing
- Dynamic load capacity: 40 kg
- Finish: White (E01), Silver Grey (E18), Stainless Steel (F04)
- Tool less quick and easy drawer mounting and removal
- Silent system guarantees smooth and quite running
- Total adjustment, left and right, up and down




High Drawer with Single Railing, Glass-boxside for Wood Drawer Back

	Kit package		Slides left/right		Drawer sides and Cover Caps left/right		
White (E01), Silver Grey (E18), Stainless Steel (F04)		Pre-zinc Steel (F02)		White (E01), Silver Grey (E18), Stainless Steel (F04)			
Nominal Lenght NL		Item No.	Set/ctn	Industrial Package		Item No.	Set/ctn
350 mm		M01350F	1			M01350H	5
400 mm		M01400F	1			M01400H	5
450 mm		M01450F	1			M01450H	5
500 mm		M01500F	1			M01500H	5
550 mm		M01550F	1			M01550H	5

	Side rails left/right		Glass-boxside left/right (not included in the kit)		
White (E01), Silver Grey (E18), Chrome Plated (C01)		Glass (G01), Ground Glass (G02), Figured Glass (G03)			
Nominal Lenght NL	Item No.	Set/ctn	Industrial Package	Item No.	Set/ctn
350 mm	M01041350	60		M01062350	20
400 mm	M01041400	60		M01062400	20
450 mm	M01041450	60		M01062450	20
500 mm	M01041500	60		M01062500	20
550 mm	M01041550	60		M01062550	20

	Front adapter for glass		
Grey (H11)	set/ctn		
Item No.	M01061	60	
	Rear adapter for glass		
Grey (H11)	set/ctn		
Item No.	M01063	60	
	Back fixing brackets left/right		
White (E01), Silver Grey (E18), Nickel Plated (A02)	set/ctn		
Item No.	M01033	20	
	Front fixing brackets		
Zinc Plated (B01), Nickel Plated (A02)	pcs/ctn		
Screw-on	Item No.	M01011	120
Press-in	Item No.	M01016	120



Installation Dimensions (mm)

[illegible]

Drawer back, Drawer bottom Dimensions

Diagram illustrating the dimensions and components of a cabinet edge:

- Cabinet Edge**: The top edge of the cabinet.
- LT**: The total length of the cabinet edge.
- 37**: A dimension indicating the offset or distance from the edge.
- Standard Drawer**: The drawer unit shown below the cabinet edge.

Front Panel Drilling

Technical drawing showing the front panel with dimensions for drilling. The panel has a width of 1200 mm and a height of 1200 mm. The top edge has a radius of $R100$. The bottom edge has a radius of $R100$. The panel is divided into two main sections: a top section with a height of 640 mm and a bottom section with a height of 560 mm. The top section has a width of 1000 mm. The bottom section has a width of 1000 mm. The panel is divided into two main sections: a top section with a height of 640 mm and a bottom section with a height of 560 mm. The top section has a width of 1000 mm. The bottom section has a width of 1000 mm. The panel is divided into two main sections: a top section with a height of 640 mm and a bottom section with a height of 560 mm. The top section has a width of 1000 mm. The bottom section has a width of 1000 mm.

Back Panel

Technical drawing showing the back panel with dimensions. The panel has a width of 1000 mm and a height of 1200 mm. The panel is divided into two main sections: a top section with a height of 640 mm and a bottom section with a height of 560 mm. The top section has a width of 1000 mm. The bottom section has a width of 1000 mm. The panel is divided into two main sections: a top section with a height of 640 mm and a bottom section with a height of 560 mm. The top section has a width of 1000 mm. The bottom section has a width of 1000 mm.

Bottom Panel

Technical drawing showing the bottom panel with dimensions. The panel has a width of 1000 mm and a height of 1200 mm. The panel is divided into two main sections: a top section with a height of 640 mm and a bottom section with a height of 560 mm. The top section has a width of 1000 mm. The bottom section has a width of 1000 mm. The panel is divided into two main sections: a top section with a height of 640 mm and a bottom section with a height of 560 mm. The top section has a width of 1000 mm. The bottom section has a width of 1000 mm.


Soft-closing Distance

Technical drawing of a door cross-section. The drawing shows the internal structure of the door, including the frame, hinges, and locking mechanism. Key dimensions and labels include:

- LT**: Total length of the door frame.
- L=31**: Length of the door leaf.
- Soft-closing**: Label indicating the soft-closing feature of the door.


TOPSYSTEM

Metal drawer back for lower drawer




Cabinet width (mm)	300	500	600	800
Colour	White (E01), Silver Grey (E18), Stainless Grey (F04)			
Item No.	M01034300	M01034500	M01034600	M01034800
Set/ctn	60	60	60	60

Metal drawer back for medium drawer



Cabinet width (mm)	300	500	600	800
Colour	White (E01), Silver Grey (E18), Stainless Grey (F04)			
Item No.	M01035300	M01035500	M01035600	M01035800
Set/ctn	40	40	40	40


Metal drawer back for high drawer



Cabinet width (mm)	300	500	600	800
Colour	White (E01), Silver Grey (E18), Stainless Grey (F04)			
Item No.	M01036300	M01036500	M01036600	M01036800
Set/ctn	20	20	20	20

17


Width Calculation



Drawer back width = $LW - 28$ Nominal Length = NL



Internal Cabinet Width = LW

16mm thick Drawer Bottom Dimensions



Cabinet side thickness:
 $B = 16$ mm. For different cabinet side thickness e.g. 18mm or 19mm, customised metal back is needed.

Stabilizer



For Cabinet Widths 900mm-1200mm, a stabilizer is needed.







A Stabilizer Rod

Length = Internal Cabinet Width LW-9

White (E01), Silver Grey (E18)

Nominal Length	Item No.	Set/ctn
450 mm	M01081450	60
500 mm	M01081500	60
550 mm	M01081550	60
600 mm	M01081600	60
650 mm	M01081650	60

Inside Cabinet Space Requirement





USA Head Office

5332 Production Drive
Huntington Beach, CA 92649 USA
Tel 714.898.0595
Fax 714.898.9122
e-mail: northamerica@topslide.com

EUROPE Head Office

Silkeborgvej 765
DK - 8220 Brabrand, Denmark
Tel +45 8675 3311
Fax +45 8675 2288
e-mail: europe@topslide.com

ASIA Head Office

11-A2, Rising Dragon Business Center,
HongFu Road, Nancheng District,
Dongguan, Guangdong, China
Tel +86-769-23121252, 23121258
Fax +86-769-23121259
e-mail: asia@topslide.com

Authorized Distributor:

topslide.com